



# MATERIAL SAFETY DATA SHEET

Product: FLOSAN®  
Date Prepared: August 1, 2006

---

## SECTION I

### Manufacturer's Name & Address

Fedmet Resources Corporation  
6402 Woodberry Court  
East Amherst, NY 14051 USA

### Trade Name & Synonyms

FLOSAN®

---

## SECTION II

MINERAL ANALYSIS	ELEMENTS	% IN WEIGHT
Magnesium Oxide	MgO	3-20
Silica Oxide	SiO <sub>2</sub>	5-35
Iron Oxide	Fe <sub>2</sub> O <sub>3</sub>	5-25
Alumina Oxide	Al <sub>2</sub> O <sub>3</sub>	5-15
Chromium Oxide	Cr <sub>2</sub> O <sub>3</sub>	15-44
Carbon	C	Yes

---

## SECTION III - PHYSICAL DATA

<b>Boiling Point</b> N/A	<b>Specific Gravity (H<sub>2</sub>O=1)</b> 2.2 -2.4
<b>Vapor Pressure</b> N/A	<b>% Volatile by Volume</b> N/A
<b>Vapor Density</b> N/A	<b>Evaporation Rate</b> N/A
<b>Solubility in Water</b> N/A	<b>Appearance and Odor:</b> Black, no odor



## MATERIAL SAFETY DATA SHEET

### SECTION IV - FIRE AND EXPLOSION HAZARD DATA

**Flash Point (method used)**

Refractory Material

**Special Firefighting Procedures**

This product is non flammable and will not support combustion

**Flammable or Explosive Limits**

N/A

**Unusual Fire & Explosion Hazards**

None

**Extinguishing Media**

N/A

---

### SECTION V - REACTIVITY DATA

**Stability**

Product is stable

**Hazardous Decomposition Products**

None

**Incompatibility**

None

**Hazardous Polymerization**

Will not occur

---

### SECTION VI - HEALTH HAZARD DATA

	<i>CAS NO.</i>	<i>%</i>	<i>OSHA PEL</i>	<i>TLV</i>
<b>RESPIRABLE DUST</b>				
Free silica (crystalline)	14808-60-7	5-35	10mg / m <sup>3</sup>	10mg / m <sup>3</sup>
			%free silica+2	%free silica+2
Magnesium oxide	1309-18-4	3-20	10mg/m <sup>3</sup>	5 mg/m <sup>3</sup>
Chrome oxide	1308-31-2	15-44	0.5 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>
Aluminum oxide	1344-28-1	5-15	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
Carbon	1333-86-4	0-5	3.5 mg/m <sup>3</sup>	3.5 mg/m <sup>3</sup>

**Effects of overexposure and procedures:**

No hazards unless finer particles lodge in eyes.

---

### SECTION VII – SPILL OR LEAK PROCEDURES

**Waste Disposal Method**

Disposal of material according to local, state or federal regulations and as final used condition of the product dictates

**Steps to be Taken if Material is Spilled**

None necessary



## MATERIAL SAFETY DATA SHEET

### SECTION VIII – SPECIAL PROTECTION INFORMATION

#### **Respiratory Protection**

In dusty environments above the TLV or PEL the use of a NIOSH approved respirator for pneumoconiosis-producing dust is recommended.

#### **Protective Gloves**

Recommended

#### **Eye Protection**

In dusty environments, the use of tight-fitting goggles is recommended.

#### **Ventilation**

Local exhaust can be used, if necessary, to control airborne dust levels.

---

*Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information Fedmet Resources Corp. extends no warranties, makes no representations, and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of its use.*