



## SAFETY DATA SHEET

### 1. Identification

**Product identifier** Pinnacle  
**Recommended use** For Industrial Use Only  
**Recommended restrictions** None Known.

#### Manufacturer/Supplier information

Company name: Fedmet Resources Corporation  
Address: 1000 N. West St.  
Suite 1200 #889  
Wilmington, DE 19801  
Product Support/Technical Services  
Phone: (514) 931-5711  
Website www.fedmet.com

Emergency telephone number: Corporate Office: (514)931-5711  
Technical Services: (514)931-5711  
Contact E-Mail: ladledr@fedmet.com

### 2. Hazard(s) identification

#### Classified hazards

This item is defined as an article per OSHA (29 CFR 1910.1200) and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not hazardous per OSHA 29 CFR 1910.1200(c). However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. May cause respiratory irritation, lung injury, or cancer by inhalation. Limit skin contact. Wash hands after handling. Dispose of waste and residues in accordance with local authority requirements. Wear protective gloves/protective clothing/eye protection. Dust may cause cancer.

#### Label elements

This item is defined as an article per OSHA (29 CFR 1910.1200) and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not hazardous per OSHA 29 CFR 1910.1200(c). However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. May cause respiratory irritation, lung injury, or cancer by inhalation. Limit skin contact. Wash hands after handling. Dispose of waste and residues in accordance with local authority requirements. Wear protective gloves/protective clothing/eye protection. Dust may cause cancer.

#### Hazard(s) not otherwise classified (HNOC)

This item is defined as an article per OSHA (29 CFR 1910.1200) and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not hazardous per OSHA 29 CFR 1910.1200(c). However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. May cause respiratory irritation, lung injury, or cancer by inhalation. Limit skin contact. Wash hands after handling. Dispose of waste and residues in accordance

### 3. Composition/information on ingredients

| Chemical Name                                   | Common Name/Synonyms | CAS Number | % |
|---|----------------------|------------|---|
| Magnesium Oxide                                 |                      | 1309-48-4  | * |
| Graphite  |                      | 7782-42-5  | * |
| Aluminum  |                      | 7429-90-5  | * |
| Aluminum Oxide (Non-Fibrous)                    |                      | 1344-28-1  | * |
| Phenol  |                      | 108-95-2   | * |
| Ethane-1,2-diol                                 |                      | 107-21-1   | * |
| Formaldehyde                                    |                      | 50-00-0    | * |
| <b>Other components below reportable levels</b> |                      |            |   |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician. |
| <b>Skin contact</b>   | Take off immediately all contaminated clothing. Wash with plenty of soap and water. Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.   |
| <b>Eye contact</b>  | Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.   |
| <b>Ingestion</b>  | Rinse mouth. Get medical advice/attention if you feel unwell.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. Skin irritation. May cause redness and pain.   |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.   |
| <b>General information</b>  | Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.  |

### 5. Fire-fighting measures

|   |   |
|---|---|
| <b>Suitable extinguishing media</b>               | Use fire-extinguishing media appropriate for surrounding materials. |
| <b>Unsuitable extinguishing media</b>             | Not available.  |
| <b>Specific hazards arising from the chemical</b> | Not available.  |

**Special protective equipment and precautions for firefighters**

Not available.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

### Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

### Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

## 7. Handling and storage

### Precautions for safe handling

Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| <i>Components</i>               | <i>Type</i> | <i>Value</i>        | <i>Form</i>          |
|---------------------------------|-------------|---------------------|----------------------|
| <b>Aluminum (CAS 7429-90-5)</b> | PEL         | 5 mg/m <sup>3</sup> | Respirable fraction. |
|                                 |             | 15mg/m <sup>3</sup> | Total dust.          |
| <b>Graphite (CAS 7782-42-5)</b> | PEL         | 5mg/m <sup>3</sup>  | Respirable fraction. |
|                                 |             | 15mg/m <sup>3</sup> | Total dust.          |

|  |     |                      |                    |
|--|-----|----------------------|--------------------|
| <b>Magnesium Oxide (CAS 1309-48-4)</b> | PEL | 15 mg/m <sup>3</sup> | Total particulate. |
|--|-----|----------------------|--------------------|

**US. OSHA Table Z-3 (29 CFR 1910.1000)**

| <i>Components</i>               | <i>Type</i> | <i>Value</i> | <i>Form</i> |
|---------------------------------|-------------|--------------|-------------|
| <b>Graphite (CAS 7782-42-5)</b> | TWA         | 15 mppcf     |             |

**US. ACGIH Threshold Limit Values**

| <i>Components</i>                      | <i>Type</i> | <i>Value</i>         | <i>Form</i>          |
|--|-------------|----------------------|----------------------|
| <b>Aluminum (CAS 7429-90-5)</b>        | TWA         | 1 mg/m <sup>3</sup>  | Respirable fraction. |
| <b>Graphite (CAS 7782-42-5)</b>        | TWA         | 2 mg/m <sup>3</sup>  | Respirable fraction. |
| <b>Magnesium Oxide (CAS 1309-48-4)</b> | TWA         | 10 mg/m <sup>3</sup> | Inhalable fraction.  |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| <i>Components</i>               | <i>Type</i> | <i>Value</i>          | <i>Form</i>                       |
|---------------------------------|-------------|-----------------------|-----------------------------------|
| <b>Aluminum (CAS 7429-90-5)</b> | TWA         | 5 mg/m <sup>3</sup>   | Welding fume or pyrophoric powder |
|                                 |             | 5mg/m <sup>3</sup>    | Respirable.                       |
|                                 |             | 10mg/m <sup>3</sup>   | Total                             |
| <b>Graphite (CAS 7782-42-5)</b> | TWA         | 2.5 mg/m <sup>3</sup> | Respirable.                       |

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines**

The resin binder in this product was specifically engineered to have low toxicity, with minimal free-phenol (less than 100ppm in this refractory product) and no free-formaldehyde. Under certain conditions, thermal decomposition products may still include carbon monoxide, carbon dioxide, formaldehyde, phenol and aromatic and/or aliphatic compounds.

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection**

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended

**Respiratory protection**

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary

**General Hygiene Considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance**

**Physical state** Solid.  
**Form** Solid.  
**Color** Not available.

**Odor** Not available.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** Not available.

**Flash point** Not available.

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Explosive limit - lower (%)** Not available.

**Explosive limit - upper (%)** Not available.

**Vapor pressure** Not available.

**Vapor density** Not available.

**Relative density** Not available.

**Solubility(ies)**

**Solubility (water)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Viscosity** Not available.

## 10. Stability and reactivity

### Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

### Chemical stability

Material is stable under normal conditions

### Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

### Conditions to avoid

Contact with incompatible materials. Refractories containing crystalline silica may, after service, contain more or less crystalline silica. Care must be taken to avoid and/or control dust from demolition. If in doubt of the proper protection, seek advice from a safety professional. The organic binder in this product falls into a class known as phenolic resin. Refractory products using this type of binder are supplied in two forms, (1) shaped products such as brick and (2) monolithics such as refractory plastics and rams. The hazards associated with phenolic resin are different in the two forms. For pre-cured shapes (brick), the binder has been reacted or polymerized by heat to its solid form prior to shipment. On decomposition by heating, where there is sufficient air and heating rate, the gaseous products are mostly carbon dioxide and water. Under low or limited oxygen supply, decomposition products during heat-up and early service may include phenol, as well as aromatic and/or aliphatic derivatives. After a campaign in service, this refractory product should be completely coked and in that condition the material for disposal would be carbon and an inorganic oxide. During field installation of non-cured unshaped products (monolithics), there is a possibility of exposure to trace amounts of phenol by skin contact and inhalation. After the product has been heated to high temperatures in service, it will have similar decomposition characteristics to pre-cured shapes.

### Incompatible materials

Phosphorus. Chlorine.  
Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure. Contact your sales representative for clarification.

### Hazardous decomposition products

No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

#### Inhalation

Toxic if inhaled.

#### Skin contact

Toxic in contact with skin. Causes skin irritation.

#### Eye contact

Causes serious eye irritation.

#### Ingestion

Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics:**

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. Skin irritation. May cause redness and pain.

**Information on toxicological effects**

|  |  |
|--|--|
| <b>Acute toxicity</b>                    | Toxic if inhaled. Toxic in contact with skin.  |
| <b>Skin corrosion/irritation</b>         | Causes skin irritation.  |
| <b>Serious eye damage/eye irritation</b> | Causes serious eye irritation.   |
| <b>Respiratory or skin sensitization</b> |  |
| <b>Respiratory sensitization</b>         | Not a respiratory sensitizer.  |
| <b>Skin sensitization</b>                | This product is not expected to cause skin sensitization.  |
| <b>Germ cell mutagenicity</b>            | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |

**Carcinogenicity**

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not Listed.

**Reproductive toxicity**

This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure**

Not classified.

**Specific target organ toxicity - repeated exposure**

Not classified.

**Aspiration hazard**

Not an aspiration hazard.

**Chronic effects**

Prolonged inhalation may be harmful.

**12. Ecological information**

**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Persistence and degradability**

No data is available on the degradability of this product.

**Bioaccumulative potential**

No data available.

**Mobility in soil**

No data available.

**Other adverse effects**

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**13. Disposal considerations**

**Disposal instructions**

This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

**Hazardous waste code**

Not applicable.

**Waste from residues / unused products**

Not available.

**Contaminated packaging**

Not available.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous Chemical** No

### SARA 313 (TRI reporting)

| <i>Chemical Name</i> | <i>CAS number</i> | <i>% by wt.</i> |
|----------------------|-------------------|-----------------|
| <b>Aluminum</b>      | 7429-90-5         | *               |

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not Regulated

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### Safe Drinking Water Act (SDWA)

Not regulated.

### US state regulations

**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**



Not listed.

**US. Massachusetts RTK - Substance List**

Aluminum (CAS 7429-90-5)

Graphite (CAS 7782-42-5)

Magnesium Oxide (CAS 1309-48-4)

**US. New Jersey Worker and Community Right-to-Know Act**

Aluminum (CAS 7429-90-5)

Graphite (CAS 7782-42-5)

Magnesium Oxide (CAS 1309-48-4)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Aluminum (CAS 7429-90-5)

Graphite (CAS 7782-42-5)

Magnesium Oxide (CAS 1309-48-4)

**US. Rhode Island RTK**

Aluminum (CAS 7429-90-5)

**US. California Proposition 65**

This product contains a chemical known to the State of California to cause cancer.

**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Formaldehyde (CAS 50-00-0)

Listed: January 1, 1988

**International Inventories**

| <i>Country(s) or region</i>            | <i>Inventory name</i>  | <i>On inventory (yes/no) *</i> |
|--|--|--------------------------------|
| <b>Australia</b>                       | Australian Inventory of Chemical Substances (AICS)                     | Yes                            |
| <b>Canada</b>                          | Domestic Substances List (DSL)   | Yes                            |
| <b>Canada</b>                          | Non-Domestic Substances List (NDSL)                                    | No                             |
| <b>China</b>                           | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                            |
| <b>Europe</b>                          | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                             |
| <b>Europe</b>                          | European List of Notified Chemical Substances (ELINCS)                 | No                             |
| <b>Japan</b>                           | Inventory of Existing and New Chemical Substances (ENCS)               | No                             |
| <b>Korea</b>                           | Existing Chemicals List (ECL)  | Yes                            |
| <b>New Zealand</b>                     | New Zealand Inventory  | Yes                            |
| <b>Philippines</b>                     | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                            |
| <b>United States &amp; Puerto Rico</b> | Toxic Substances Control Act (TSCA) Inventory                          | Yes                            |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

This information is supplied to be informative and to alert the user of the material. The ultimate compliance with federal, state, and/or local regulations concerning the use of this material, or compliance with respects to products liability, rest solely upon the purchaser thereof.

**Reasons for Revision:** Converted MSDS to SDS.  
**Prepared by:** Fedmet Resources Corporation  
**Date:** August, 2016

DISCLAIMER: Reasonable care has been taken in the preparation of the information provided, and believed to be correct as of the issue date. However, Fedmet Resources Corporation makes no representation or warranties, and assumes no responsibility as to the completeness and accuracy thereof Users must make their own determination as to the suitability of the product for their purpose prior to use. Fedmet Resources Corporation will not be responsible for any damages of any nature directly or indirectly whatsoever resulting from the use of, reliance upon, or the misuse of the information contained herein.

**End of Safety Data Sheet**